



RubINETterie Italiane Velatta SpA

————— since 1950 —————

>> **YOU need the BEST**

giada


Series



RIV 362

Aluminium siphon
 with straight hose-connection and discharge
 cock

>> Tech drawings and tables




DN	Codice	H	h	L	PN	KG	P/box
60	050362000055	410	265	270	3bar - 45psi	3,214	1

>> Advantages

The system with quick coupling permits a speedy and practical cleaning of the siphon.

>> Technical data

RIV 340



Materials				
1	Body	Aluminium	EN AB 46100	
2	Cup	Polycarbonate		
3	Ring	Steel		Zinc-plated
4	O-Ring	NBR		
5	Ball	EPDM		Wood-core
6	Couplings	Steel		Zinc-plated
7	O-Ring	NBR		
8	Swivel Nut	Brass	CW617N	
9	Hose-connection	Aluminium	EN AB 46100	

Nr.	Cod.
2	Riv 9891
3	Riv 9897
4	Riv 9896
5	Riv 9912
7	Riv 9908
9	Riv 9900

Connection	Hose-connection
Limit	0°C (+32°F) without liquid +90°C (+194°F)
Notes	The max.working pressure (PN) means at a room temperature of about 23°C.

>> More Products



RIV 340

Aluminium siphon
 with bent hose-connection



RIV 342

Aluminium siphon
 with bent hose-connection and
 discharge cock



RIV 360

Aluminium siphon
 with straight hose-connection